

GENERAL AND APPLIED PLANT PHYSIOLOGY

Year 2009, Volume XXXV, Issue 1–2, Pages 01–92

Available online at www.bio21.bas.bg/ipp/

CONTENTS

| | |
|---|-------|
| <i>Talebi R., N.-A. B. Jelodar, M. Mardi, F. Fayaz, B. J. Furman and N.-A. Bagheri</i> | |
| Phylogenetic diversity and relationship among annual <i>Cicer</i> species using random amplified polymorphic DNA markers | 03-12 |
| <i>Hassan E. A. and M. E. El-Awadi</i> | |
| Study on the trichomes of the parasitic weed broomrape: morphology and histochemistry | 13-21 |
| <i>Behnamnia M., Kh. M. Kalantari and F. Rezanejad</i> | |
| Exogenous application of brassinosteroid alleviates drought-induced oxidative stress in <i>Lycopersicon esculentum</i> L. | 22-34 |
| <i>Peyvandi M., F. Farahani, Z. Noormohamadi, O. Banihashemi, M. Hosseini, Mazinani and S. Ataee</i> | |
| Mass production of <i>Olea europaea</i> L. (cv. Rowghani) through micropropagation | 35-43 |
| <i>Victorio C. P. and C. L. S. Lage</i> | |
| <i>In vitro</i> flowering of <i>Phyllanthus tenellus</i> Roxb. Cultured under different light qualities and growth regulators | 44-50 |
| <i>Singh N. B., D. Singh and A. Singh</i> | |
| Modification of physiological responses of water stressed <i>Zea mays</i> seedlings by leachate of <i>Nicotiana plumbaginifolia</i> | 51-63 |
| <i>Talebi R., F. Fayaz and A. M. Naji</i> | |
| Effective selection criteria for assessing drought stress tolerance in durum wheat (<i>Triticum durum</i> Desf.) | 64-74 |
| <i>Cha-um S., T. Boriboonkaset, A. Pichakum and C. Kirdmanee</i> | |
| Multivariate physiological indices for salt tolerance classification in indica rice (<i>Oryza sativa</i> L. Spp. <i>Indica</i>) | 75-87 |
| <i>Short Communication</i> | |
| <i>Sharma A. D. and P. Kaur</i> | |
| Combined effect of drought stress and heat shock on Cyclophilin protein expression in <i>Triticum aestivum</i> | 88-92 |